

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1132	702/182.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 14:05
S2	419551	(monitor\$3 or collect\$3 or obtain\$3 or gather\$3 or acquir\$3 or transmit\$4 or receiv\$3) with (information or data or signal\$1 or report\$3) with (operation or performance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 15:07
S3	3174	S2 and (dynamic\$3 or autonomously or real adj time) with (adapt\$3 or chang\$3 or modify\$3 or adjust\$3 or correct\$3) with (monitor\$3 or scheme or frequency or sampling adj rate or configuration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 15:07
S4	2672	S3 and (detect\$3 or identify\$3 or recogniz\$3 or find\$3 or search\$3 or match\$3) with (pattern\$1 or behavior\$1 or onset or problem\$1 or fail\$4 or detect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 14:20
S5	221	S4 and (comput\$3 or network) with resource\$1 with (monitor\$3 or manag\$5 or control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 14:23
S6	31	S5 and (predict\$3 or model\$4) with (behavior\$1 or pattern\$1 or imapct\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 14:26
S7	3	S5 and (expert near5 system) and (fuzzy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 14:28
S8	27	S4 and (expert near5 system) and (fuzzy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 14:28
S9	0	S4 and Zager	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 14:29

S10	0	S3 and Zager	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 14:29
S11	26	S2 and Zager	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 14:30
S12	19072	predict\$3 and input and information and reconfigure\$1 and starte\$1and report and operation and management and computer and problem\$1and identify\$3 and receiv\$3 and data and obtain\$4 and performance and acquired	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 14:40
S13	1113	predict\$3 and input and information and reconfigure\$1 and starte\$1and report and operation and management and computer and problem\$1and identify\$3 and receiv\$3 and data and obtain\$4 and performance and acquir\$2 and collect\$4 and gathering and transmit\$3 and controlling	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 14:49
S14	32	predict\$3 and (input same information) and reconfigure\$1 and starte\$1 and report and (operation same management same computer) and problem\$1and identify\$3 and (receiv\$3 same data) and obtain\$4 and performance and acquir\$2 and collect\$4 and gathering and transmit\$3 and controlling and printer and Functional and (change with configuration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 14:48
S15	32	S14 and monitor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 14:47
S16	26	S15 and detect	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 14:47
S17	1675	S2 and (fuzzy with logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 14:52
S18	107	S3 and (fuzzy with logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 14:54

S19	98	S13 and (fuzzy with logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 14:55
S22	194	monitor\$3 same performance same comput\$3 and (fuzzy with logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 15:04
S23	122	predict\$3 same analysis same (fuzzy with logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 15:05
S24	492	S1 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 15:07

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	263	703/25.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 09:21
L2	1270	714/4.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 09:21
L3	98	1 and (monitor\$3 or collect\$3 or obtain\$3 or gather\$3 or acquir\$3 or transmit\$4 or receiv\$3) with (information or data or signal\$1 or report\$3) with (operation or performance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 09:22
L4	384	2 and (monitor\$3 or collect\$3 or obtain\$3 or gather\$3 or acquir\$3 or transmit\$4 or receiv\$3) with (information or data or signal\$1 or report\$3) with (operation or performance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 09:22
L6	1138	702/182.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 09:30
L7	419774	(monitor\$3 or collect\$3 or obtain\$3 or gather\$3 or acquir\$3 or transmit\$4 or receiv\$3) with (information or data or signal\$1 or report\$3) with (operation or performance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 09:28
L8	494	6 and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 09:28
L9	374	8 and (detect\$3 or identify\$3 or recogniz\$3 or find\$3 or search\$3 or match\$3) with (pattern\$1 or behavior\$1 or onset or problem\$1 or fail\$4 or detect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 09:30
L10	446	702/186.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 09:31

L11	287	702/184.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 09:30
L12	649	702/130.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 09:30
L13	1386	702/188.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 09:30
L14	0	10 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 09:31
L15	1	11 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 09:32
L16	0	12 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 09:31
L17	1	13 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 09:32
S1	1132	702/182.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 09:27
S2	419551	(monitor\$3 or collect\$3 or obtain\$3 or gather\$3 or acquir\$3 or transmit\$4 or receiv\$3) with (information or data or signal\$1 or report\$3) with (operation or performance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 09:28

S3	3174	S2 and (dynamic\$3 or autonomously or real adj time) with (adapt\$3 or chang\$3 or modify\$3 or adjust\$3 or correct\$3) with (monitor\$3 or scheme or frequency or sampling adj rate or configuration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 15:07
S4	2672	S3 and (detect\$3 or identify\$3 or recogniz\$3 or find\$3 or search\$3 or match\$3) with (pattern\$1 or behavior\$1 or onset or problem\$1 or fail\$4 or detect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 09:29
S5	221	S4 and (comput\$3 or network) with resource\$1 with (monitor\$3 or manag\$5 or control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 14:23
S6	31	S5 and (predict\$3 or model\$4) with (behavior\$1 or pattern\$1 or imapct\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 14:26
S7	3	S5 and (expert near5 system) and (fuzzy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 14:28
S8	27	S4 and (expert near5 system) and (fuzzy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 14:28
S9	0	S4 and Zager	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 14:29
S10	0	S3 and Zager	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 14:29
S11	26	S2 and Zager	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 14:30

S12	19072	predict\$3 and input and information and reconfigure\$1 and starte\$1and report and operation and management and computer and problem\$1and identify\$3 and receiv\$3 and data and obtain\$4 and performance and acquired	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 14:40
S13	1113	predict\$3 and input and information and reconfigure\$1 and starte\$1and report and operation and management and computer and problem\$1and identify\$3 and receiv\$3 and data and obtain\$4 and performance and acquir\$2 and collect\$4 and gathering and transmit\$3 and controlling	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 14:49
S14	32	predict\$3 and (input same information) and reconfigure\$1 and starte\$1 and report and (operation same management same computer) and problem\$1and identify\$3 and (receiv\$3 same data) and obtain\$4 and performance and acquir\$2 and collect\$4 and gathering and transmit\$3 and controlling and printer and Functional and (change with configuration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 14:48
S15	32	S14 and monitor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 14:47
S16	26	S15 and detect	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 14:47
S17	1675	S2 and (fuzzy with logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 14:52
S18	107	S3 and (fuzzy with logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 14:54
S19	98	S13 and (fuzzy with logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 14:55
S22	194	monitor\$3 same performance same comput\$3 and (fuzzy with logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 15:04

S23	122	predict\$3 same analysis same (fuzzy with logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 15:05
S24	492	S1 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 15:07